
Ruamahanga Economic Catchment Model

Adam Daigneault Senior Economist 4 July 2016





New Zealand Forest and Agriculture Regional Model (NZFARM)

- A catchment-level economic model of NZ land use
 - Objective is to maximize income from land-based activities
 - Spatial scale at sub-catchment level
 - Models changes in land use and land management
 - Key outputs include changes in farm income, land use/mgmt
 - Can assess trade-off of multiple contaminants and policy approaches
- Designed to consistently compare the relative economic & environmental impacts of a range of policy scenarios

Key Model Outputs



Net Revenue (from on-farm production)



Food (meat, milk, fruit, etc.)



Raw materials (timber, pulp, wool, silage, etc.)



Freshwater (N, P, E.coli, irrigated area)



Erosion and Prevention (soil loss/retain by land use)





Carbon Sequestration (exotic and native forest, grassland, etc.)


Outputs will vary subject to:


- Contaminant load target(s)
- Policy mechanism
- Mitigation cost and effectiveness


Methodology











Key Ruamāhanga catchment economic model baseline estimates

Aggregated Land Use	Area (ha)	Net Farm Revenue (\$)	N leaching (t)	P loss (t)	Sediment (kt)	E.coli (peta)
Dairy	35,739	66,499,471	1,045	33	10	28
Dairy Support	14,880	13,066,002	965	16	16	9
Sheep & Beef	154,276	72,496,361	2,045	136	378	74
Other Pasture	2,750	2,354,785	52	1	5	1
Forestry	11,306	5,174,823	34	2	23	3
Mixed (Arable)	16,742	27,623,821	653	7	7	4
Horticulture	2,352	13,202,910	20	0	0	1
Native Bush	85,843	0	86	9	365	4
Lifestyle	12,207	0	330	5	4	7
Other	22,898	0	56	0	4	3
Ruamahanga Total	358,993	\$200,417,788	5285	209	813	135


NZFARM test scenarios for the Ruamāhanga catchment

Scenario Name	Description	N Leach Target	P Loss Target	Sedimen t Target	E. coli Target		
Management Actions							
All Farms M1	All dairy, sheep & beef, and dairy support farms implement M1 mitigation bundle	n/a	n/a	n/a	n/a		
All Farms M2	All dairy, sheep & beef, and dairy support farms implement M2 mitigation bundle	n/a	n/a	n/a	n/a		
All Farms M3	All dairy, sheep & beef, and dairy support farms implement M3 mitigation bundle	n/a	n/a	n/a	n/a		
Minimum Feasible Loads							
Convert All to Forest	Afforestation of all non-native land in the catchment to estimate the minimum loads possible	n/a	n/a	n/a	n/a		
Contaminant load reduction targets							
10% catchment	10% reduction in N, P, and sediment for entire Ruamahanga catchment	10%	10%	10%	0%		
10% FMU	10% reduction in N, P, and sediment for each FMU in the Ruamahanga catchment	10%	10%	10%	0%		

Key 'test' model scenario estimates

Scenario	Total Annual Cost (\$/yr)	Net Revenue (\$)	N Leach (t)	P Loss (t)	Sediment (kt)	E.coli (peta)	
Baseline	\$0	\$200,679,150	5,285	209	814	134.7	
% Change from no mitigation baseline							
All Farms M1	\$583,436	0%	0%	0%	0%	-4%	
All Farms M2	\$18,270,930	-9%	-10%	-7%	-9%	-4%	
All Farms M3	\$27,926,712	-14%	-10%	-48%	-25%	-4%	
Convert All to Forest	\$108,954,857	-54%	-82%	-82%	-41%	-84%	
10% catchment	\$12,193,487	-6%	-10%	-15%	-10%	-3.7%	
10% FMU	\$15,713,580	-8%	-10%	-28%	-10%	-3.0%	

Mitigation Practice Area



Annual Cost by Land Use

